


FIG - 2



JAN 14 2005
 PATENT & TRADEMARK OFFICE

"REPLACEMENT SHEET"
Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

2/32




FIG - 5




FIG - 6





FIG - 10



JAN 14 2005
PATENT & TRADEMARK OFFICE

"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

3/32

FIG - 4

Search Equipment - Caterpillar Product Link System

File Edit View Tasks Help

Equipment 422

Make 424 ALL

Model 426

Serial 428

Unit 428

Distance 432

State 434

City 434

Distance 436

Rental Status 412

☒ Rented 438

☐ Not Rented 440

Registration Status 414

☒ Registered 442

☐ Deregistered 444

Find 420

Ready 408

400

01
JAN 14 2005
PATENT & TRADEMARK OFFICE

FIG - 7

	View	
702	✓ Toolbar	
704	✓ Status Bar	
706	View Registry	Ctrl+R
708	View Grief	Ctrl+G
710	View Service Meter Adjustments	Ctrl+J
712	View System Tables	Ctrl+Y
714	View Product Watch	Ctrl+W

FIG - 8

	Tasks	
802	✓ Search Equipment	Ctrl+Q
804	Send Commands	Ctrl+N
806	Reports	Ctrl+O
808	Working with Targets	Ctrl+T
810	Working with Event Reactions	Ctrl+E
812	Working with Diagnostic Reactions	Ctrl+D
814	Working with Level Reactions	Ctrl+L
816	Working with Alarm Reactions	Ctrl+A
818	Working with Product Watch Descriptions	Ctrl+H

800

FIG - 9

Help	
Help Topics	
View Manual	Ctrl+M
About CPLS	Ctrl+A

900

JAN 14 2005
PATENT & TRADEMARK OFFICE

FIG - 11

Search Results

Make	Model	Serial	Unit	Date / Time	SMU	Fuel	Location
AA	D9R	8BL01064	D43000009	04/26/2000 12:26:01 PM	9063	101740	7.1 miles W of Huey
AA	CHAL35	8DN00525	H39000018	04/26/2000 12:21:36 PM	3962		19.7 miles W of Del
AA	D5C	6CS00467	B19000011	04/26/2000 12:18:20 PM	982		3.9 miles S of Newa
AA	CHAL65C	2ZJ02409	H39000025	04/26/2000 12:07:14 PM	2812		2.5 miles N of Santa
AA	D6X	AAX00006	EAE100000	04/26/2000 12:06:43 PM	374		19.4 miles W of Hob
AA	D5M	6GN01196	B19000024	04/26/2000 12:04:27 PM	506		8.1 miles NW of Alle
AA	416C	4ZN17140	E25000001	04/26/2000 11:58:33 AM	196		3.4 miles NW of Del
AA	973	66G00646	N02000000	04/26/2000 11:53:47 AM	3111		7.8 miles W of Missi
AA	D6MxB	ALH00002	EAE100004	04/26/2000 11:51:55 AM	107		30.3 miles E of Farr
AA	CHAL45	1DR01733	H39000021	04/26/2000 11:50:47 AM	1169		22.3 miles SW of Ma
AA	CHAL45	1DR01740	H39000031	04/26/2000 11:45:56 AM	1956		2.3 miles S of Salina
AA	CHAL65C	2ZJ02434	H39000021	04/26/2000 11:44:36 AM	1848		12.6 miles SW of Le
AA	776D	2YW00094	E35000006	04/26/2000 11:37:48 AM	10863	232819	10.7 miles NW of Fa
AA	CHAL85C	9TK01973	H39000034	04/26/2000 11:23:29 AM	3094		1.5 miles NW of Sell
AA	315B	3AW01389	H18000002	04/26/2000 11:18:17 AM	954		4.2 miles E of Vanc
AA	CHAL65C	2ZJ02519	H39000047	04/26/2000 11:16:47 AM			22.5 miles SW of M
AA	970F	7SK01017	N02000001	04/26/2000 11:07:06 AM	2150		9.6 miles S of Auror
AA	CHAL75D	5AR00544	H39000043	04/26/2000 11:04:56 AM			5.0 miles NW of Hol
AA	325B L	6DN00820	D10000002	04/26/2000 11:01:20 AM	805		1.3 miles E of Sale

View Message History View Event History Status Map Close

6/32

FIG - 12

Message History

Make: AA (1208) Model: Testmod (1210) Serial: PL2010FFBDTST14 (1238) Unit: EAE100037 (1240)

Viewing: To: 91 (1222) More>>

Date / Time	SMU	Fuel	Location
04/13/2000 08:35:48 AM			2.7 miles N of Peoria, IL
04/13/2000 08:34:57 AM	431		
04/13/2000 08:03:11 AM			2.7 miles N of Peoria, IL
04/13/2000 08:03:11 AM	431		
04/12/2000 01:54:01 PM			2.6 miles N of Peoria, IL
04/12/2000 07:52:43 AM			2.7 miles N of Peoria, IL
04/12/2000 01:52:43 AM			2.7 miles N of Peoria, IL
04/11/2000 07:53:44 PM		260310	2.7 miles N of Peoria, IL
04/11/2000 07:53:24 PM			2.7 miles N of Peoria, IL
04/11/2000 02:01:15 PM			2.7 miles N of Peoria, IL
04/11/2000 08:12:35 AM			2.7 miles N of Peoria, IL
04/11/2000 01:55:31 AM			2.7 miles N of Peoria, IL
04/10/2000 07:53:11 PM	431		
04/10/2000 07:52:50 PM			2.7 miles N of Peoria, IL

Status: ☒ Status ☒ Location ☒ SMU ☒ Fuel

Close

"Fuel" is a calculated value to be used as a service indicator only.
This value is NOT to be used in economy of performance measurements.



“REPLACEMENT SHEET”

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

7/32

FIG - 13

1302

1304

1322

1344

1306

1348

1300

1318

1316

1320

1342

1310

1314

1338

1340

1336

1334

1328

1330

1324

1326

Event History

Make [AAI] 1308 [PL201OFFBDTST14] 1336

Model [Testmod] 1310 Unit [EAE100037] 1340

Viewing 1 To 20 <<Back More>>

Level	Date / Time	Description	Module	Fault Codes	Occurrences
1	04/20/2000 03:13:56 PM	PL-201 Product Watch Exclusive Alarm	122	Alarm	0
1	04/20/2000 03:13:56 PM	PL-201 Product Watch Time Alarm	122	Alarm	0
2	04/18/2000 10:13:58 AM	Digital Input 1	122	EID:00630	0
1	04/18/2000 10:12:06 AM	Fuel Filter Restriction Warning	033	EID:00095	255
2	04/18/2000 10:12:06 AM	Engine Oil Pressure short to ground	033	CID:00100,FMI:004	2
2	04/18/2000 10:12:06 AM	Unfiltered Fuel Pressure open/short to +batt	033	CID:00289,FMI:003	2
2	04/18/2000 10:12:06 AM	Turbo Outlet Pressure open/short to +batt	033	CID:00273,FMI:003	2
2	04/18/2000 10:12:06 AM	Secondary Engine Speed open/short to +batt	033	CID:00342,FMI:003	2
2	04/18/2000 10:12:06 AM	Throttle Position signal abnormal	033	CID:00091,FMI:008	2
1	04/18/2000 10:11:56 AM	High Crankcase Pressure Warning	033	EID:00101	78
2	04/18/2000 10:11:56 AM	Crankcase Pressure open/short to +batt	033	CID:00101,FMI:003	2
2	04/18/2000 10:11:56 AM	Unfiltered Engine Oil Pressure short to ground	033	CID:00542,FMI:004	2
2	04/18/2000 10:11:56 AM	Right Exhaust Temperature short to ground	033	CID:00828,FMI:004	2
2	04/18/2000 10:11:56 AM	Left Exhaust Temperature short to ground	033	CID:00827,FMI:004	2

☒ Events ☒ Diagnostics ☒ Alarms

Request Update Close

"REPLACEMENT SHEET"
Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

8/32




FIG - 14

1406
1408
1410
1412
1414
1416
1418
1420
1422
1402


Make	Model	Serial	Unit	Date / Time	Power Loss	Satellite Blocked	Active
AA	CHAL55	7DM01494	H39000037	04/26/2000 12:52:36 PM			No
AA	CHAL55	AEN00410	H39000042	04/26/2000 12:50:41 PM			No
AA	CHAL35	8DN00372	H39000029	04/26/2000 12:49:35 PM			No
AA	D250E	5TN01156	B19000009	04/26/2000 12:39:29 PM			No
AA	D9R	8BL01064	D43000009	04/26/2000 12:39:09 PM	Yes	No	No
AA	CHAL35	8DN00525	H39000018	04/26/2000 12:21:36 PM			No
AA	D5C	6CS00467	B19000011	04/26/2000 12:18:20 PM			No
AA	CHAL65C	2ZJ02409	E25000001	04/26/2000 12:07:14 PM			No
AA	D6X	AAX00006	N02000000	04/26/2000 12:06:43 PM	No	No	No
AA	D5M	6GN01196	EAE100004	04/26/2000 12:04:27 PM	No	No	No
AA	416C	4ZN17140	B19000024	04/26/2000 11:58:33 AM			No
AA	973	66G00646	E25000001	04/26/2000 11:53:47 AM			No
AA	D6MXB	ALH00002	EAE100004	04/26/2000 11:51:55 AM	No	No	No
AA	CHAL45	1DR01733	H39000005	04/26/2000 11:50:47 AM			No
AA	CHAL45	1DR01740	H39000031	04/26/2000 11:45:56 AM			No
AA	CHAL65C	2ZJ02434	H39000021	04/26/2000 11:44:36 AM			No
AA	776D	2YW00094	E35000006	04/26/2000 11:37:48 AM	No	No	No
AA	CHAL85C	9TK01973	H39000034	04/26/2000 11:23:29 AM			No

Status History

Product Watch Details

Close

1404
1424
1426
1428
1400



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

9/32

FIG - 15

1502

1504

1518

1516

1522

1506

1528

1500

1524

1526

1510

1514

1512

1508

1520

Viewing

1

<<Back

More>>

42

Testmod

Model

Unit

Make

Serial

Power Loss

Satellite Blocked

Active

Alarm

Event Pending

Power Mode

Digital #1 Activ

Date / Time

Close

Date / Time	Power Loss	Satellite Blocked	Active	Alarm	Event Pending	Power Mode	Digital #1 Activ
04/20/2000 03:13:56 PM			Yes	Yes			
04/18/2000 10:13:58 AM	No	No	No	No	Yes	1	Yes
04/18/2000 10:10:41 AM			No	No			
04/18/2000 10:07:20 AM			No	No			
04/14/2000 09:21:23 AM	No	No	No	No	No	1	No
04/14/2000 09:16:12 AM			No	No			
04/13/2000 09:55:59 AM	No	No	No	No	No	1	No
04/13/2000 09:14:30 AM	No	No	No	No	No	1	No
04/13/2000 08:38:09 AM	Yes	No	No	No	No	1	Yes
04/13/2000 08:34:57 AM	Yes	No	No	No	No	1	No
04/13/2000 08:03:11 AM			No	No			
04/11/2000 07:53:44 PM	No	No	Yes	No			
04/10/2000 07:53:11 PM	No	No	Yes	No	No	1	Yes

10/32

FIG - 16

Product Watch Details For 1A12105 - EAE100015 - 143H - AA


Inclusive	Exclusive	Time
Active : No	Active : Yes	Active : Yes
Alarm : No	Alarm : No	Alarm : No
Latitude : N 40 44.48333	Position(1) : N 40 47.05000	Week Days : Mon, Tues, Wed, Thr, Fri,
Longitude : W 089 29.35000	-Longitude : W 089 36.55000	Start Time : 05:00 AM
Radius : 1 Miles	-Radius : Start Immediately	End Time : 10:00 AM
Start Time : Start Immediately	-Description : 1 Miles	Description : MG Time Based Running Te
End Time : Never End	: Hale Road Exclusion	
Description : PPG Shop Vicinity - Test case		

Close



11/32

FIG - 17



JAN 14 2005
PATENT & TRADEMARK OFFICE


"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

12/32

FIG - 18






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

13/32

FIG - 19






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

14/32

FIG - 20






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

15/32

FIG - 21






"REPLACEMENT SHEET"
Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

16/32

FIG - 22






"REPLACEMENT SHEET"


Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

17/32

FIG - 23






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

18/32

FIG - 24






“REPLACEMENT SHEET”


Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

19/32

FIG - 25






“REPLACEMENT SHEET”

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

20/32

FIG - 26






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

21/32

FIG - 27





"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

22/32

FIG - 28

402 View Registry - Caterpillar Product Link System

404 File Edit View Tasks Help

2802 Equipment

2808 Make ALL

2810 Model

2812 Serial

2814 Unit

2804 Find

2816 General

2818 Transmission

2820 Digital

2822 PL101

2824 Viewing

2826 1 To 62

2828 <<Back

2830 More>>

2832 Configuration

2834 Clear All

Make	Model	Serial	Unit	Date / Time	Status	Primary	Report Time
AA	CHAL55	AEN00389	ID-000144	11/18/1999 01:34:57 PM	Registered	PL-101	01:34 PM
AA	IT28G	8CR01062	ID-000306	10/26/1999 04:19:25 AM	Registered	PL-101	04:19 AM
AA	416C	4ZN17140	ID-000305	10/26/1999 04:55:03 PM	Registered	PL-101	04:55 PM
AA	246	5SZ00554	ID-000308	10/27/1999 11:59:15 AM	Registered	PL-101	11:59 AM
AA	416B	8ZK09414	ID-000311	01/04/2000 04:08:40 PM	Deregistered	PL-101	01:32 PM
AA	TH83	3RN01983	ID-000309	10/28/1999 01:57:26 PM	Registered	PL-101	01:57 PM
AA	928G	6XR01108	ID-000312	10/28/1999 03:05:07 AM	Registered	PL-101	03:05 AM
AA	CHAL55	7DM01496	ID-000141	01/03/2000 05:57:24 PM	Registered	PL-101	07:05 PM
AA	CHAL55	7DM01103	ID-000145	09/08/1999 05:44:51 PM	Registered	PL-101	05:44 PM

2800

408 Ready

Number of Records 62

400



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

23/32

FIG - 29

View Registry - Caterpillar Product Link System
File Edit View Tasks Help

Equipment
Make: ALL
Model:
Serial:
Unit:

Find
General
Transmission
Digital
PL101

Viewing
1 To 18
<<Back
More>>
Configuration
Clear All

Make	Model	Serial	Unit	Level 1	Level 2	Level 3	Diagnostic	Event Interval	Mess
AA	CHAL75E	6HS00365	ID-000329	Never	Next	Immediate	Immediate	20	168
AA	CHAL85E	6JS00400	ID-000330	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00363	ID-000328	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00356	ID-000333	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00366	ID-000335	Never	Next	Immediate	Immediate	20	168
AA	CHAL95E	6KS00476	ID-000336	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00353	ID-000334	Never	Next	Immediate	Immediate	20	168
AA	627F	1DL00400	ID-000338	Immediate	Immediate	Immediate	Immediate	20	168
AA	CHAL95E	6KS00474	ID-000345	Never	Next	Immediate	Immediate	20	168

Ready Number of Records 18 4



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

24/32

FIG - 30

402 View Registry - Caterpillar Product Link System

404 File Edit View Tasks Help

2802 Equipment

2810 Make ALL

2812 Model

2814 Serial

2816 Unit

2804 ?

2818 General

2820 Transmission

2822 Digital

2822 PL101

2826 Viewing

2824 1

2806 To 18

2828 <<Back

2830 More>>

2834 Configuration

2836 Clear All

Make	Model	Serial	Unit	Type 1	Delay 1	Description 1	Type 2	De
AA	CHAL75E	6HS00365	ID-000329	Not Configured	0		Not Configured	0
AA	CHAL85E	6JS00400	ID-000330	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00363	ID-000328	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00356	ID-000333	Open	10	Digital #1 Sensor	Closed	20
AA	CHAL75E	6HS00366	ID-000335	Not Configured	0		Not Configured	0
AA	CHAL95E	6KS00476	ID-000336	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00353	ID-000334	Not Configured	0		Not Configured	0
AA	627F	1DL00400	ID-000338	Not Configured	0		Not Configured	0
AA	CHAL95E	6KS00474	ID-000345	Not Configured	0		Not Configured	0

2800

Ready

Number of Records 18

408

400




"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

25/32

FIG - 31






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

26/32


FIG - 32





27/32

FIG - 33






"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

28/32

FIG - 34



29/32

FIG - 35

Figure 1 is a screenshot of a software window titled "Setup-Change Product Watch". The window has a standard Windows-style title bar with a close button (X) in the top right corner. The main content area is divided into three tabs: "Product Watch Inclusive", "Product Watch Exclusive", and "Product Watch Time". The "Product Watch Inclusive" tab is currently selected.

Within the "Product Watch Inclusive" tab, there is a section labeled "Select Position" (3518). This section contains three rows of input fields: "Latitude" (3512), "Longitude" (3520), and "Radius" (3522). Each row has a dropdown arrow on the left and a numeric input field in the center. Below these fields is a "Load" button (3526). To the right of the "Select Position" section is a table titled "Product Watch Description:" (3502). The table has four columns: "Description", "Latitude", "Longitude", and "Radius". The table contains six rows of data:

Description	Latitude	Longitude	Radius
Springfield, IL Airport	N 39 50.98333	W 089 40.98333	5 mile
Main Store	N 39 27.93333	W 089 22.18333	10 mile
Brach Store	N 39 24.80000	W 089 17.25000	10 mile
Customer Main Site	N 39 27.83333	W 089 26.31667	7 mile
Customer Off Site	N 39 25.71667	W 089 23.60000	7 mile
Customer Digging Site	N 39 24.73333	W 089 21.11667	5 mile
Customer Home	N 39 25.33333	W 089 21.85000	2 mile

Below the table, there are two buttons: "Queue" (3528) and "Cancel" (3530). To the left of the "Select Position" section, there is a "Start Date" section (3514) with dropdowns for Month (April), Day (26), and Year (2000), and radio buttons for "Start Immediately" and "AM/PM". Below this is an "End Date" section (3516) with similar dropdowns and radio buttons for "Never End" and "AM/PM".



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

30/32

FIG - 36

3504

3506

3508

3602

3604

3606

3500

3524

3526

3600

3610

3612

3608

3600

Product Watch Description:

Description	Latitude	Longitude	Radius
Springfield, IL Airport	N 39 50.98333	W 089 40.98333	5 mile
Main Store	N 39 27.93333	W 089 22.18333	10 mile
Brach Store	N 39 24.80000	W 089 17.25000	10 mile
Customer Main Site	N 39 27.83333	W 089 26.31667	7 mile
Customer Off Site	N 39 25.71667	W 089 23.60000	7 mile
Customer Digging Site	N 39 24.73333	W 089 21.11667	5 mile
Customer Home	N 39 25.33333	W 089 21.85000	2 mile

Setup-Change Product Watch

Product Watch Inclusive Product Watch Exclusive Product Watch Time


Select Position

Latitude Longitude Radius

Latitude Longitude Radius

Load Delete

Queue Cancel



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

31/32

FIG - 37

3506

3508

3504

3702

3704

3708

3706

3524

3526

3500

3700

Setup-Change Product Watch

Product Watch Inclusive

Product Watch Exclusive

Product Watch Time

Days

Monday

Tuesday

Wednesday

Thursday

Friday

Saturday

Sunday

Clear

Working Hours

Start Time

00

AM

PM

End Time

00

AM

PM

Clear

Load

Product Watch Description:

Description	Start Time	End Time	Days
Working Hours for M...	07:00:00 AM	11:00:00 PM	Mon - Tue - Wed - Thr - Fri
Main Store Hours	08:00:00 AM	05:00:00 PM	Mon - Tue - Wed - Thr - Fri
Weekend Hours	01:00:00 PM	00:00:00 AM	Sat - Sun
Working Hours for B...	06:00:00 AM	06:00:00 PM	Mon - Tue - Wed - Thr - Fri - Sat
Customer Work Hour...	07:00:00 AM	06:00:00 PM	Mon - Tue - Wed - Thr - Fri
Branch Store Hours	08:00:00 AM	06:00:00 AM	Mon - Tue - Wed - Thr - Fri

Queue

Cancel



"REPLACEMENT SHEET"

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION
RELATED TO A MACHINE

Inventor: Gregory J. Falada et al. et al. Atty. Docket No.: 00-450

32/32

FIG - 38

Product Watch Details For 1DL00400 - ID-000338 - 627F - AA

Inclusive	Exclusive	Time
<p>3802</p> <p>Active : No Alarm : No Latitude : N 39 43.43333 Longitude : W 089 39.55000 Radius : 2 Miles Start Time : Start Immediately End Time : Never End Description : Customer Off Site</p>	<p>3804</p> <p>Active : Yes Alarm : Yes Position(1) -Latitude : N 39 85.61667 -Longitude : W 089 68.50000 -Radius : 1 Miles -Description : Springfield, IL Airport Position(2) -Latitude : N 39 42.36667 -Longitude : W 089 36.68333 -Radius : 2 Miles -Description : Customer Home Position(3) -Latitude : N 39 46.91667 -Longitude : W 089 37.61667 -Radius : 10 Miles -Description : Main Store</p>	<p>3806</p> <p>Active : Yes Alarm : Yes Week Days : Mon, Tues, Wed, Thr, Fri, Start Time : 07:00 AM End Time : 06:00 AM Description : Customer Work Hours</p>

<< Backward Forward >> Close

3808 3810 3812 3800